



[Click here for larger picture](#)


Note: for those who prefer front side/back side tatting the text in italics and red indicates where the worker needs to use the second half of the ds first.

Abbreviations

R	ring	Ch	chain
SR	split ring	vsp	very small picot
P or -	picot	Cl	close
SS	switch shuttles	btwn	between
Cl	close	T & C	tie and cut
SCMR	self closing mock ring		


Head

- R1: 2 vsp 2 Cl
- SR2: 1 - 1 - 1 - 1 - 1 - 1 - 1 (6 picots) / 6 + (B to centre of R) Cl
- SR3: 2 / 2 Cl
- SR4: 1 - 1 - 1 - 1 - 1 - 1 - 1 (6 picots) / 6 + (B to centre of R) Cl
- SR5: 2 / 2 Cl SS
- Ch: vsp 8 RW SS
- SR6: 14 / vsp 12 turn 2nd part of SR inwards & Cl SS
- Ch: 4 vsp 4 Lj (vsp R1) vsp 4 SS
- SR7: 2 vsp 1 / 1 Lj (2nd p SR2) 2 Cl
- SR8: 1 + (vsp SR7) 11 - 12 / 2 Cl SS
- Ch: 2 SS
- SR9: 4 - 3 vsp 1 / 1 Cl
- SR10: 1 + (vsp SR9) 2 / 4 Cl
- SR11: 4 / 4 Cl
- SR12: 2 vsp 1 / 4 Cl
- SR13: 1 + (vsp SR12) 3 - 4 / 1 Cl SS
- Ch: 2 SS
- SR14: 12 - 11 vsp 1 / 2 Cl
- SR15: 1 + (vsp SR14) 2 / 2 Lj (5th p SR4) 1 Cl SS
- Ch: 4 T & C vsp base SR5



Inner Body

- SR1: 1 vsp 4 - 4 / 1 - 2 Cl
- SR2 - SR7: 4 - 4 / 2 - 2 Cl
- SR8: 4 / 2 - 2 Lj (SR1) 4 Cl
- SR9: Fp 4 / Fp 4 vsp 2 - 2 Cl
- SR10: 4 + (p on SR7) 4 / 2 - 2 Cl
- SR11 - SR15: 4 - 4 / 2 - 2 Cl
- SR16: 4 / 2 - 2 + (vsp SR9) 4 Cl SS



Under Body

Make a false picot by leaving a small space and making the second half of a ds (as in the second side of an SR). Follow this with the first half of the ds as normally worked (this will form the first half of the first ds of the next chain).

Ch: 6 Lj (SR1) 1 SS

Udders

SR17: 2 - 1 - 1 - 1 - 2 / 8 CI SS

Ch: 2 Lj (SR2) SS

Back Leg

SR18: 8 / 4 - 4 CI

SR19: 8 / 4 - 4 CI

SR20: 8 vsp 2 / 3 CI SS

SCMR21: 2 + (vsp SR20) 3 vsp 1 SS

R: 1 + (vsp) 8 vsp 1 CI SS

SCMR21: 1 + (vsp on R) 4 vsp 1 CI SS

SR22: 1 + (vsp SCMR21) 8 / 6 + (SR19) 4 CI




Fig. 3

SR23: 8 / 4 + (SR18) 4 CI

SR24: 6 / 6 CI

SR25: 6 / 6 CI Lj (SR3) SS

Back and Top of Body

Ch: 4 vsp 2 Lj (SR4) vsp 8 Lj (SR5) 8 Lj (SR6) 4 RW

R26: 8 + (join btwn SR7 & SR10) 8 CI RW

Ch: 8 Lj (SR11) 8 Lj (SR12) 1 + (vsp base R1 on head) 4 + (vsp Ch after SR6 on head) 1 Lj (SR13 of body) 8 Lj (SR14) SS

Front Legs

SR27: 8 / 4 - 4 CI

SR28: 8 / 4 - 4 CI

SR29: 7 vsp 1 / 4 vsp 4 CI

R30: 1 + (vsp SR29) 10 CI SS

Ch: 4 Lj (vsp SR29) SS

SR31: 10 / 4 CI

SR32: 8 / 4 Lj (SR28) 4 CI

SR33: 7 - 1 / 4 Lj (SR27) 4 CI SS

Ch: Lj (SR15 body) 2 + (SR33) 8 T & C SR16

Tail

Turn body upside down and using 2 shuttles.

R1: 4 + vsp (base of R4 on body) 2 + (next vsp on Ch of body) 1 vsp 1 CI

SR2: 1 + (vsp R1) 4 / 3 vsp 1 CI

- SR3: 5 / 1 + (vsp SR2) 1 vsp 1 CI
- SR4: 4 / 1 + (vsp SR3) 2 vsp 1 CI
- SR5: 2 vsp 1 / 1 + (vsp SR4) 4 CI
- SR6: 1 + (vsp SR5) 1 vsp 1 / 4 vsp 1 CI
- SR7: 1 + (vsp SR6) 5 / 1 + (vsp SR6) 5 CI T & C and fray ends.




Fig. 4