



[Click here](#)

Abbreviations

R	ring	Ch	chain
RoCh	Ring on chain	RW	Reverse work
SR	Split ring	Cl	close
SS	Switch shuttles	MB	Move bead into place
+ B	Add bead to picot before joining	vsp	Very small picot
LSCH	Lock stitch chain. 1 st half ds as usual, second half wrapped		

Materials required

Thread - No. 20, small seed beads for wings, 2 slightly larger ($\frac{1}{8}$ ") beads for eyes, 2 larger beads (size $\frac{1}{8}$ ") for centre of wings. Also required – safety pin or paperclip.

Left Wing

Round 1 – 2 shuttles wound CTM (2 $\frac{1}{2}$ yards on Sh2). 1 seed bead added to Sh1.

R1: 3 - 3 vsp 3 add 1 larger B to thread around hand (hold in place with paperclip / safety pin) 3 Cl

SR2: 3 - 3 / 3 - 3 Cl RW

Ch: 2 SS

RoCh3: 4 - 6 - 4 Cl SS

Ch: 2 RW

SR4: 3 + B (SR2) 3 / 3 - 3 Cl

SR5: 3 + (beaded picot on R1) 3 / 3 - 3 Cl

SR6: 3 - 3 / 3 - 3 Cl RW

Ch: 2 SS

RoCh7: 4 - 6 - 4 Cl SS

Ch: 2 RW

SR8: 3 + B (SR6) 3 + (vsp R1) 3 / 3 Cl

Round 2

Move bead on Sh1 to lie next to SR8. Take Sh2 thread through bead and continue

SR1: 2 / 2 vsp 4 Cl

SR2: 3 / 3 Cl

SR3: 2 + B (R1 round 1) 2 / 6 Cl

SR4: 3 / 3 Cl

SR5: 2 + B (SR2 round 1) 2 / 2 - 2 Cl

SR6: 3 / 3 Cl

SR7: 2 + B (RoCh) 2 / 2 - 2 Cl

SR8: 3 - 3 / 5 vsp 1 Cl RW SS

R9: 1 + (vsp SR8) 3 - 3 - 6 vsp 1 Cl RW SS




Fig. 1




Fig. 2

SR10: 3 + B (SR8) 3 / 1 + (vsp R9) 5 Cl
 SR11: 2 + B (RoCh) 2 / 4 Cl
 SR12: 3 / 3 Cl
 SR13: 2 + B (SR4 round 1) 2 / 4 Cl
 SR14: 3 / 3 Cl
 SR15: 2 + B (SR5 round 1) 2 / 6 Cl
 SR16: 3 / 3 Cl
 SR17: 2 + B (SR6 round 1) 2 / 4 Cl
 SR18: 3 / 3 Cl
 SR19: 2 + B (RoCh) 2 / 4 Cl
 SR20: 3 - 3 / 5 vsp 1 Cl RW SS
R21: 1 + (vsp SR21) 6 - 6 vsp 1 Cl RW SS
 SR22: 3 + B (SR20) 3 / 1 + (vsp R21) 5 Cl
 SR23: 2 + B (RoCh) 2 / 4 Cl
 R24: 3 + (vsp SR1) 3 Cl T & C




Fig. 3

Right wing. Round 1 – As before.

Round 2

Move bead on Sh1 to lie next to SR8. Take Sh2 thread through bead and continue

SR1: 2 / 2 vsp 4 Cl
 SR2: 3 / 3 Cl
 SR3: 2 + B (R1 round 1) 2 / 6 Cl
 SR4: 3 / 3 Cl
 SR5: 2 + B (SR2 round 1) 2 / 4 Cl
 SR6: 3 / 3 Cl
 SR7: 2 + B (RoCh) 2 / 4 Cl
 SR8: 3 - 3 / 5 vsp 1 Cl RW SS
R9: 1 + (vsp SR8) 6 - 3 - 3 vsp 1 Cl RW SS
 SR10: 3 + B (SR8) 3 / 1 + (vsp R9) 5 Cl
 SR11: 2 + B (RoCh) 2 / 2 - 2 Cl
 SR12: 3 / 3 Cl
 SR13: 2 + B (SR4 round 1) 2 / 2 - 2 Cl
 SR14: 3 / 3 Cl
 SR15: 2 + B (SR5 round 1) 2 / 6 Cl
 SR16: 3 / 3 Cl
 SR17: 2 + B (SR6 round 1) 2 / 4 Cl
 SR18: 3 / 3 Cl
 SR19: 2 + B (RoCh) 2 / 4 Cl
 SR20: 3 - 3 / 5 vsp 1 Cl RW SS
R21: 1 + (vsp SR21) 6 - 6 vsp 1 Cl RW SS
 SR22: 3 + B (SR20) 3 / 1 + (vsp R21) 5 Cl
 SR23: 2 + B (RoCh) 2 / 4 Cl
 R24: 3 + (vsp SR1) 3 Cl T & C




Fig. 4

Body – starting bottom.

Using two shuttles 2 eye beads on SH1

R1: 1 vsp 10 vsp 1 Cl
 SR2: 1 + (vsp R1) 4 vsp 1 / 1 + (vsp R1) 4 vsp 1 Cl
 SR3: 1 + (vsp SR2) 2 + (lowest p left wing on SR5) 2 vsp 1 / 1 + (vsp SR2) 2 + (lowest p right wing on SR13) 2 vsp 1 Cl
 SR4: 1 + (vsp SR3) 2 + (next p left wing on SR7) 2 vsp 1 / 1 + (vsp SR3) 2 + (next p right wing on SR11) 2 vsp 1 Cl
 SR5: 1 + (vsp SR4) 4 vsp 1 / 1 + (vsp SR4) 4 vsp 1 Cl
 SR6: 1 + (vsp SR5) 2 + (next p left wing SR9) 2 vsp 1 / 1 + (vsp SR5) 2 + (next p right wing

SR9) 2 vsp 1 Cl

SR7 1 + (vsp SR6) 5 + (next p left wing SR9) 2 vsp 2 vsp 1 / 1 + (vsp SR6) 5 + (next p right wing) 2 vsp 2 vsp 1 Cl

Put 1 bead at back of hand before starting next SR and leave the other on the shuttle until required.

SR8: 1 + (vsp SR7) 7 MB **from shuttle** 4 / 1 + (vsp SR9) 7 MB **at**

back of hand 4 Cl and cut leaving ends of 2 1/2" for feelers.

Legs – Holding body with head facing downwards and

take length of 12" through vsp on SR7 of body.

LSCH: x 6

Ch: 3

LSCH: x 4 repeat for second leg. T & C




Fig. 5